

Govt. ITI Bidkalkatte

Monthly test- December 2025

Q. ID: ITISKILL0165EO | December 2025

40.00% 8 / 20

Student Name	Nagendra venkatesh Harikanthra	Access Code	2079
Attempt No.	#1	Completion Time	02:21 PM
Rank	#19	Total Questions	20

8 SCORE

20 MAX MARKS

8 CORRECT

12 INCORRECT

Answer Review

Q1 **CORRECT** How the tyre height is calculated?

A. Rim dia - tyre outer dia

B. Tyre outer dia - Rim dia ☒

C. Thread width + Tyre width

D. Tyre width + Bead circle dia

Q2 **INCORRECT** Which part of tyre referred as 'Crown'?

A. Thread width

B. Rim width

C. Tyre width ☐

D. Thread radious ☒

Q3 **INCORRECT** What is the advantage of coil spring?

A. Good load carrying capacity ☐

B. High steering and stability

C. Low space requirement ☐

D. Provide greater pay load

Q4 **CORRECT** Which type of spring will have good load carrying capacity and do not have noise in the suspension system?

A. Monoleaf springs

B. Coil spring

C. Multiple - leaf spring ☐

D. Fibre composite springs

Q5 **CORRECT** Which system provided between axles and chassis frame?

A. Braking system

B. Suspension system ☐

C. Steering system

D. Cooling system

Q6 **INCORRECT** Which is not the function of suspension system?

A. It maintains body level

B. It gives cushioning effects

C. It transfer braking torque to the chassis ☐

D. It increase steering stability ☐

Q7 **INCORRECT** Which part of coil spring allows angular movement of linkages?

A. Ball joint ☐

B. Stabiliser bar

C. Torsion bar

D. Lower control arm ☐

Q8 **INCORRECT** Which type of spring suspension responds quickly to road shocks? |

A. Compression spring ☐

B. Coil spring ☐

C. Helical spring

D. Transverse spring

Q9 **INCORRECT** Which type of shock absorber is easy for replacement and handling?

A. Vane type

B. Piston type

C. Mechanical type ☐

D. Telescopic type ☐

Q10 **INCORRECT** Where the airbags are located in the air suspension system?

A. Between frame and vehicle axle ☐

B. Between high control valve and frame

C. Between air pressure regulator and front axle

D. Between brake tank and vehicle axle ☐

Q11 **INCORRECT** What is the purpose of air suspension?

- A. Used for leveling purpose ☐
- B. Reduce the suspension weight
- C. Increase the directional stability ☒
- D. Reduce the space occupation

Q12 **CORRECT** What is the advantage of using nitrogen in the tyres?

- A. Provide positive road grip
- B. Increase the tyre life ☒
- C. Provide cushioning effect on the vehicle
- D. Observe shocks and vibration

Q13 **CORRECT** What is the use of compact spare tyres?

- A. Used for breakdown ☒
- B. Used for high altitude
- C. Withstand heavy load
- D. Withstand high temperature

Q14 **CORRECT** What is the purpose of beads and plys provided in the tyre?

- A. Provide strength to tyre ☒
- B. Provide grippiness on the surface
- C. Prevent tyre slip
- D. Resist vibration

Q15 **INCORRECT** What is the purpose of spokes provided in the wheel?

- A.** Provide accurate rounds of rim ☐
- B.** Distribute pre load evenly
- C.** Provide directional stability of vehicle
- D.** Support the chassis frame of vehicle ☐

Q16 **INCORRECT** What causes abnormal tyre wear, tyre slip and poor steering stability?

- A.** Incorrect toe - in and toe - out ☐
- B.** Malfunctioning of torsion bar
- C.** Presence of air in the brake fluid
- D.** Front axle bend/twist ☐

Q17 **CORRECT** What is the main cause for wear on one side of tyre?

- A.** Improper camber ☐
- B.** Improper caster
- C.** Over inflation
- D.** Under inflation

Q18 **INCORRECT** What is the reason of faster wear out of tyre edges?

- A.** Under inflated tyre ☐
- B.** Over inflated tyre
- C.** Un equal load distribution ☐
- D.** Defective suspension system

Q19 **CORRECT** What will be the result of improper brake adjustment?

- A. Hard steering
- B. Wheel wobbling
- C. Steering wheel play
- D. Vehicle pulling to one side ☒

Q20 **INCORRECT** Why tyre wear found abnormal in the vehicle?

- A. Loose wheel nut
- B. Improper linkage adjustment
- C. Improper tol-in and tol - out ☒
- D. Improper tyre pressure ☐