

Sri Mahalingeswara ITI

ITI Quiz - 28-Aug-2026 09:21 AM

Q. ID: ITISKILL91813S | August 2026

83.33% 20 / 24

Student Name	SATHISH	Access Code	8901
Attempt No.	#3	Completion Time	04:41 PM
Rank	#2	Total Questions	24

20 SCORE

24 MAX MARKS

20 CORRECT

4 INCORRECT

Answer Review

Q1 **CORRECT** Which signal is sent by the SMPS to computer mother board?

- A. Device signal
- B. Peripheral signal
- C. Processor signal
- D. Power good signal ☒

Q2 **CORRECT** What is the full form of the abbreviation ISA?

- A. Industry System Architecture
- B. Industry Software Architecture
- C. Industry Standard Architecture ☒
- D. Institution Standard Architecture

Q3 **CORRECT** Which device is used to produce hard copy of a document in a computer?

A. Printer ☒

B. Monitor

C. Modem

D. Speaker

Q4 **CORRECT** Which port is used to connect a plug and play peripheral device to CPU?

A. USB port ☒

B. RJ45 port

C. COM 1 port

D. COM 2 port

Q5 **CORRECT** What is the function of schottky diode BA 157 in SMPS circuit?

A. Error amplifier

B. Switching diode

C. Voltage regulator

D. Fast recovery diode ☒

Q6 **CORRECT** What is the advantage of SMPS in computer?

A. Bulky

B. High efficiency ☒

C. High frequency noise low

D. Servicing of SMPS is easy

Q7 **CORRECT** What is the full form of electronic component MOV?

- A. Metal Over Varistor
- B. Metal Over Varactor
- C. Metal Oxide Varistor ☒
- D. Metal Oxide Varactor

Q8 **CORRECT** Which port is used to connect the HDD on the mother board?

- A. IDE port ☒
- B. Com 1 port
- C. Com 2 port
- D. Floppy drive port

Q9 **CORRECT** What is the full form of the abbreviation LBA in computer system?

- A. Low block accessing
- B. Large block accessing ☒
- C. Large boot addressing
- D. Logical block accessing

Q10 **INCORRECT** What is the full form of the abbreviation CD-ROM in computer?

- A. Classified Device Read Only Memory
- B. Computer Disk Read Only Memory ☐
- C. Connectivity Digital Read Only Memory
- D. Compact Disk Read Only Memory ☒

Q11 **CORRECT** Which component, which reads the command from memory and executes?

- A. Processor
- B. Graphics card
- C. Read Only Memory
- D. Random Access Memory ☒

Q12 **CORRECT** Which codes are stored in computer ROM BIOS chip?

- A. Change codes
- B. Temporary codes
- C. Permanent codes ☒
- D. Partial change codes

Q13 **CORRECT** Which mouse action is used to move an object from one location to another?

- A. Left clicking
- B. Right clicking
- C. Drag and drop ☒
- D. Double clicking

Q14 **CORRECT** Which memory device loses data on power failure?

- A. RAM ☒
- B. ROM
- C. Hard disc
- D. CD ROM

Q15 **CORRECT** Which section is used by the processor to save instructions?

- A. Memory** ☒
- B. System unit
- C. Graphics card
- D. Micro processor

Q16 **CORRECT** Which option opens a list of programs, currently installed in the computer?

- A. Help menu
- B. Start menu
- C. All program** ☒
- D. Recent documents

Q17 **INCORRECT** In computer processing data, which table maintain the size of the partition?

- A. Process table
- B. Partition table** ☒
- C. Program table ☐
- D. Procedure table

Q18 **CORRECT** The speed of spindle motor rotates inside the hard disk

- A. 4000 to 800 r.p.m
- B. 2500 to 5000 r.p.m
- C. 3500 to 6000 r.p.m
- D. 3600 to 7200 r.p.m** ☒

Q19 **CORRECT** Which metal coating is used on compact disk?

A. Silver

B. Nickel

C. Chromium

D. Aluminium ☒

Q20 **INCORRECT** Where the programs and datas are stored after execution in computer?

A. Buffer

B. Chip set

C. Memory ☒

D. Processor ☐

Q21 **CORRECT** Which shortcut key function is used to close the working window on the computer?

A. Ctrl + S

B. Ctrl + P

C. Alt + F4 ☒

D. Shift + F3

Q22 **INCORRECT** Which device converts digital data from computer into analog data and transmit through telephone line?

A. MODEM ☒

B. Chipset

C. Processor ☐

D. Cache memory

Q23 **CORRECT** Which component is used to prevent over voltage of AC supply in SMPS?

- A. Metal film resistor
- B. Carbon film resistor
- C. Metal oxide varistor ☒**
- D. Wire wound resistor

Q24 **CORRECT** Which component is used to remove the heat generated inside the SMPS?

- A. Heat sink
- B. Cooler fan ☒**
- C. Silicon grease
- D. Mica film spacer