

Student: Appu Id

Score: 43/60 (71.67%)

Code: 0966

1. How many transistors are built inside the Very Large Scale Integration (VLSI) IC package?

- A) **1000 and above** B) 1 to 10 transistors
 C) 10 to 100 transistors D) 100 to 1000 transistors
 (Incorrect)

2. Which IC package consist of 100 to 1000 transistors?

- A) **Large scale integration (LSI) (Correct)** B) Small scale integration (SSI)
 C) Medium scale integration (MSI) D) Very large scale integration (VLSI)

3. Which is the 3 terminal, negative voltage regulator IC?

- A) LM 320 B) LM 340
 C) **IC 7905 (Correct)** D) IC 7812

4. Which three terminal voltage regulator IC has adjustable output?

- A) LM 100 B) LM 105
 C) LM 305 **D) LM 317 (Correct)**

5. What is the range of output voltage of regulator IC LM 317?

- A) 0 to 25 V B) 0 to 30 V
 C) 0 to 32 V **D) 1.2 V to 32 V (Correct)**

6. Which type of voltage regulator is IC 723?

- A) Multipin variable voltage regulator (Incorrect) B) Three pin positive voltage regulator
 C) Three pin negative voltage regulator **D) Three pin adjustable voltage regulator**

7. What is the resonant frequency range of a crystal?

- A) Between 0.1 and 1MHZ B) Between 0.1 and 10 MHZ
 C) Between 0.5 and 25 MHZ **D) Between 0.5 and 30 MhZ (Correct)**

8. Which circuit is determined by the frequency of LC tank circuit?

- A) **Oscillator (Correct)** B) Amplifier
 C) Multiplexed D) Demodulator

9. What type of arrangement is required to sustain the oscillations of the oscillator circuit?

- A) Provide negative feedback **B) Provide regenerative feedback (Correct)**
 C) Increase the bias voltage D) Increase the value of inductor

10. What type of feed back is used by the Wein-bridge oscillator to oscillate the signal?

- A) No feedback B) Positive feedback
 C) Negative feedback **D) Both positive and negative feedback (Correct)**

11. How to improve the frequency stability in oscillator circuits?

- A) Increase the supply voltage **B) By using quartz crystal (Correct)**
 C) Using L and C D) Improve the property of circuits

12. Which is the transistor used to operate the Colpitts oscillator?

- A) AC 127 **B) BF 194B**
 C) BC 148B D) AC 188 (Incorrect)

13. What is the common and popular application of U.J.T?

- A) Multivibrator B) Voltage regulator
 C) **Relaxation oscillator (Correct)** D) Motor speed controller

14. What is the maximum forward gate current (I_g) for BFW10 JFET?

- A) 5 mA B) 8 mA
 C) **10 mA (Correct)** D) 20 mA

15. What is the package type for BF 245B?

- A) TO-72 **B) TO-92 (Correct)**
 C) TO-82 D) TO-102

16. How gate is biased in JFET?

- A) AC supply function B) Forward biased
 C) **Reverse biased (Correct)** D) Dual supply function

17. What is the gate current (I_g) of the JFET, when reverse biased?

- A) Practically very low **B) Practically zero (Correct)**

conductor material?

A) Doping (Correct)

C) Forming

B) Etching

D) Diffusion

38. Which impurity is added to form P - type semiconductor material?

A) Arsenic

C) Antimony

B) Gallium (Correct)

D) Phosphorus

39. Which impurity is added to pure semiconductor to form N-type material?

A) Boron

C) Arsenic

B) Indium (Incorrect)

D) Gallium

40. What is the output frequency of the pulsating DC in a two diode fullwave rectifier?

A) Half of the input A/C frequency

C) Same frequency of the A/C input

B) Double the input A/C frequency (Correct)

D) Three times the input A/C frequency

41. What is the name of the process of converting AC into DC voltage?

A) Inverting

C) Amplifying

B) Rectifying

D) Demodulating (Incorrect)

42. Which bonding material is used for soldering a joint?

A) Oil

C) Acid

B) Flux (Correct)

D) Grease

43. At which temperature the 6040 solder start meeting?

A) 100 Degree Centigrade

C) 300 Degree Centigrade

B) 200 Degree Centigrade (Correct)

D) 380 Degree Centigrade

44. Which step is important for soldering a joint?

A) Heating the joint

C) Pasting the joint

B) Cooling the joint

D) Cleaning the joint (Incorrect)

45. What is the range of temperature used in soldering station?

A) 150 Degree Centigrade to 450 Degree Centigrade (Correct)

C) 600 Degree Centigrade to 800 Degree Centigrade

B) 450 Degree Centigrade to 600 Degree Centigrade

D) 800 Degree Centigrade to 1000 Degree Centigrade

46. What is the name of flux used for soldering electronic components?

A) Resin

B) Rosin (Correct)

C) Mild acid

D) Organic acid

47. How many types of soldering is used for joining metal surfaces?

A) Two

C) Four

B) Five

D) Three (Incorrect)

48. What is the full form of the abbreviation SPDT used in switches?

A) Single Phase Dual Throw

C) Single Pole Double Throw (Correct)

B) Single Pole Single Throw

D) Shared Pole Double Throw

49. Which ratio of tin-lead combination is used for electronic component soldering work?

A) 40:60

C) 60:40:00

B) 20:40

D) 63:37:00 (Incorrect)

50. What is the full of the abbreviation DPDT used in switches?

A) Dual Phase Dual Throw (Incorrect)

C) Direct Pole Double Throw

B) Double Pole Direct Throw

D) Double Pole Double Throw

51. How much time is required to make a quality soldered joint using soldering iron?

A) 3 - 7 seconds (Correct)

C) 10 - 15 seconds

B) 7 - 10 seconds

D) 15 - 20 seconds

52. Which type of soldering is used for electronic circuit?

A) Brazing

C) Hot soldering

B) Soft soldering (Correct)

D) Hard soldering

53. Which tool works on the principle of air suction?

A) Soldering iron

C) Desoldering braid

B) Soldering wick

D) Desoldering pump (Correct)

54. How the flux residue is removed after soldering a joint?

A) Water

C) Organic flux

B) Petrol

D) Isopropyl alcohol (Correct)

55. What is the effect of over heating on soldering a joint?

A) Cold joint (Incorrect)

C) Dull grainy surface

B) Poor wetting

D) Flux trapped against lead

56. Why the solvent Iso Propyl Alcohol (IPA) is used on the solder joint?

A) To help the corrosive action

B) Cleaning before soldering the joint

C) To break down the acid within the joint

D) Remove residual flux and prevent corrosion (Correct)

57. Which coding system for transistor type numbering system is followed by American standard?

A) JIS standard

B) Home codes

C) JEDEC standard (Correct)

D) PRO-ELECTRON standard

58. What is the current gain of common collector amplifier?

A) Low

B) High

C) Medium

D) Very high (Correct)

59. What is the current gain of a common emitter base amplifier?

A) Unity

B) Infinity

C) Greater than 1

D) Less than 1 (Correct)

60. What is the meaning of first letter indicated in the transistor code number BC 107?

A) Germanium material used

B) Silicon material used (Correct)

C) Antimony material used

D) Indium material used